

A light blue, dotted world map is positioned in the background behind the 'Main Products' section.

Main Products

Die cutters for making PET/PVC Collar Bands, Collar Butterfly/Bones, Collar Stays/Inserts/Strips/ Supports.

Leather Patch embossing, hot stamping and die cutting machine.

BOPP Packing bag making machine.

PET/PVC/PS rolls and sheets.



CONTACTS

Ms. Cerys Zhou (Export Director)

sales@icerys.com

Tel: +86 18767952927 Wechat: 18767952927

Cerys Corporation Limited

www.icerys.com

Yiwu, Zhejiang, China




SPECIALIZED IN MACHINES OF GARMENT ACCESSORIES FOR OVER 10 YEARS

CERYYS CORPORATION LIMITED

BWA Automatic Plastic Collar Band Butterfly Hot Stamping Die Cutting Machine

» Finished Products




» Feature

- Make different shapes and sizes of shirt plastic collar bands and butterflies in very high quality. Can match high request.
- With Numbering function.
- High speed and stable, easy to use.
- Service life can be more than 10 years.
- One year guarantee and 24h Online Engineers Service.

» Parameter


Model	BWA
Cutting Area	L600*W300mm (23.6*11.8 Inch)
Production Speed	6,000PCS/Hour
Cutting Thickness	0.25-0.7mm
Voltage	380V (can be customized)
Weight	2000KG
Dimensions(L*W*H):	3.5*1.8*1.3m



» Application

For die cutting any shapes and sizes of plastic shirt collar bands, Collar Butterfly/Bone for shirt, dress, suits in PP, PVC, PET, PS materials.


PSC96 Automatic Plastic Collar Band Die Cutting Machine



» Application

Die cutting plastic STRAIGHT shirt collar bands ONLY, collar supports, collar strips in PP, PVC, PET, PS material.

» Finished Products




» Feature

- Can make different sizes of shirt plastic collar bands by adjusting dies/molds very economically, also can by changing raw material rolls width, and change molds.
- Extra Hot Stamping and Numbering function can be optional.
- Very High speed.
- Service life can be more than 10 years.
- One year guarantee and 24h Online Engineers Service.

» Parameter

Model	PSC96
Cutting Area	Max L900*W60mm (35.4*2.36 Inch) Min L250*W28mm (9.84*1.1inch)
Production Speed	8,400PCS/Hour
Cutting Thickness	0.25-0.7mm
Die Quantity	3 Dies
Suitable Materials of Collar Band	PVC, PET, PP, PS etc.
Numbering Function	Optional
Shape	Customized
Power	2.5KW
Weight	1000KG
Dimensions(L*W*H):	1.7*1.5*1.5m


CSDC Automatic Plastic Collar Stay Hot Stamping Die Cutting Machine



» Application

Hot stamping and die cutting different shapes and sizes of collar stays and collar butterflies/bones for shirts, dress, suits in PVC/PET.

» Finished Products



» Feature

- With Slit cutter, automatic feeder, hot stamping and die cutting automatically.
- Very high speed and can die cut 4 pcs one time. (If make hot stamping LOGO, then can die cut 1 pc one time.)
- High quality finished products.
- Stable and easy to use. Service life can be more than 10 years.
- 24h Online Engineers Service. One year guarantee.

» Parameter

Model	CSDC
Application	Any Shape and Size Plastic Collar Stays Die Cutting
Production Speed	43,200 PCS/Hour
Suitable Materials of Collar Band	PVC, PET, PP, PS, Polyester etc.
Die Quantity	1 Die
Die Material	High quality steel
Butterflies Shape	Customized
After-sales Service Provided	24h Online Engineers Service
Weight	500KG
Dimensions(L*W*H):	2.5*1.1*1.6m

LCE25 Automatic Leather Patch Die Cutting and Embossing Machine



» Application

Embossing and Die cutting Leather/PU patches from rolls automatically, used for clothes marks, labels, trademarks etc. in any shape and pattern.

» Finished Products



» Feature

- Automatic feeder, waste stack
- High precision, PLC control
- Simple and easy operation and quality stable
- Service life can be more than 10 years.
- One year guarantee and 24h Online Engineers Service.

» Parameter

Model	LCE25
Cutting board size	350 * 250mm
Embossing size	160*80mm
Cutting Speed	10,000PCS/Hour
Embossing Speed	4,000PCS/Hour
Embossing Heating Temperature	400°C
Frequency	<0.5mm
Die Cut Mold Material	Steel Blade + Wooden
Embossing Mold material	Copper
Air compressor needed	2.2KW
Weight	450KG
Dimensions(L*W*H):	2.5*1.3*1.2m

L8T Leather Hot stamping Embossing machine



» Finished Products



» Features

- Using pneumatic automation principle, can accurately control the hot stamping time, the printing surface can be entered
- Accurate fine-tuning, high-precision design can save the use of Alumina, and to the greatest extent to adapt to changing product specifications
- Suitable for a variety of bronzing process.

» Application

Hot stamping and embossing for Leather, PU sheets etc.

» Parameter

Model	L8T
Hot stamping Area	400x500mm
Working Speed	10-50 time/min
Pressure	8Ton
Temperature	Max 300°C
Height	85mm
Power	2500W
Voltage power	220V/60HZ, customized
Net weight	360 Kg
Gross weight hand	405 Kg
External Dimensions	1100x700x1960mm
Package size	420x395x660mm

ASC16 Automatic Rolls Slit cutting machine



» Feature

- With photoelectric tracking, automatic correction, correction accuracy $\pm 0.5\text{mm}$.
- With unwinding tension, winding tension.
- Automatic control meter stop.
- Easy to operate and stable and reliable.

» Application

Automatic slit cut for Leather, PU, non-woven fabric, self-adhesive ,plastic and other main slitting packaging materials from big rolls to small rolls.

» Parameter

Model	ASC16
Effective width of slitting	50-1600 mm (depending on raw material)
Slit thickness	30g-200g
Cutting speed	200m / min
Unwinding diameter	700mm
Winding diameter	600mm
Cutting accuracy	$\pm 0.5\text{mm}$
Main motor	4KW
Transmission mode	chain drive
Correction range	110mm-120mm error $\pm 0.5\text{mm}$
Working voltage	380V
Machine weight	1500KG
Dimension(L*W*H)	2.4*2.1*1.5m

CME33 Metal Mold Making Machine



» Application

Engraving different patterns and sizes of metal molds/dies in copper, aluminum, stainless steel, Wood, plastic sheet etc.

» Finished Products




» Feature

- Adopt the high-strength whole cast iron bed, X, Y, Z each axis are imported linear guide.
- Full mold production, mechanical stability is guaranteed.
- Body, gantry columns are used as a whole metal casting parts, good rigidity, smooth operation, the overall vibration of the machine is small.
- X, Y, Z each axis are imported ball screw, slider preload configuration, to ensure that the slider without gaps, processing accuracy is guaranteed.
- Compatible with TYPE3 / ARTCAM / Wentai / carved / mastcam / ug and other CAD / CAM design software.
- Good at all types of work pieces for efficient precision machining.
- Multi sizes of machines can be chosen.

» Parameter

Model	CME33
XY working area	300x300mm
Z working area	>80mm
Table size	420x550mm
Max travel speed	4m-5.5m/min
Max engraving speed	2m-3m/min
Resolution ratio	0.005mm
Reposition accuracy	0.001mm
Max feeding height	100mm
Command	G code*.u00*.mmg*.plt
Surroundings for software	Windows98/2000/xp
Power(not include the spindle)	300W
Power	AC220V/50Hz
spindle power rate	1.5KW
spindle rotating speed	0-24000rpm/min
Drive motor	Stepper

BF6 Automatic Packing Bag Material Folding Machine



» Application

Working with BC7 bag forming machine. To fold BOPP OPP PP PE rolls materials and bag bottom inward folding, tap gluing for making packing bags.

» Finished Products




» Feature

- Ultrasonic, EPC and servomotor functions can be customized with different price.
- Automatic double-face gluing, removing organ bottom, coating pear film, stack to rolls.
- Optional functions of ultra-audible sound hobbing and unreeling error correction.

» Parameter

Model	BF6
Max. Material Width (mm)	1200mm
Max. Finished product Width (mm)	600mm
Min. Material Width (mm)	100mm
Min. Finished product Width (mm)	50mm
Speed (m/Min)	60
Total power (kw)	1.5
Complete weight (kg)	650

BC7 Plastic Packing Bag Forming Machine



» Application

Working after BF6 model machine, to do the Side Sealing, Cut, Forming to make finished BOPP OPP PP PE Packing Bags for shirts, toys etc.

» Finished Products





» Feature

- Automatic Gluing, punching, heat sealing edge. High Speed, LCD PC control. Step tracking feeding, Motor variable frequency speed control, Optical tracking fixed-length.
- Platen die under the pressure of high-precision, computer-controlled slice drag materials, die-cutting, waste collection once.
- With Feeder station, Die host, Induction motor with discharge and Automatic exhaust winding.

» Parameter

Model	BC7
Bag Length	50-800mm commonly
Bag Width	70-670mm commonly
Min. Bag size	25*50mm
Speed	30-280 PC/Min
Precision	±0.3 mm
Electric-power	4.5 kw
Complete weight	800 kg
Overall dimension	L3000*W1250*H1400mm

PET/PVC/PS Rolls and Sheets



» Feature

- Different colors, thickness, new or recycled, environmental materials can be supplied.
- Eco-friendly and with smooth surface.
- Good Packaging protection.

» Application

To make collar bands, butterflies, stays, and blister products including packing boxes for foods, electronics etc.

